

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

TRADE NAME	1260REG MG-KR	ETE REGULAR – PART A	D2A
PRODUCT USE	This is a magnesium polyphosp	hate concrete repair material. U	sed for patching, from shallow feathering to
	deep pours, can be trowelled ve	ertically and overhead.	
MANUFACTURE'S NAME	IMCO TECHNOLOGIES	TEL 1-888-818-4626	IMCO TECHNOLOGIES
	6254 SKYWAY RD., PO BOX 915	FAX 905-527-0606	3909 WITIMER RD, STE 1014
	SMITHVILLE, ON. LOR 2A0		NIAGARA FALLS, NY 14305
EMERGENCY NUMBER	613-996-6666 or *666 CANUT	EC	
	1-800-535-5053 UNITED STA	TES POISON INFORMATION C	ENTRE

# 2. HAZARDS IDENTIFICATION



GHS CLASSIFICATION: Flammability 5, Reactivity 5, Health 4

ROUTE OF ENTRYInhalation, Skin contact.CARCINOGENIC STATUSRespirable crystalline quartz is a suspected human carcinogen, ACGIH Group A2TARGET ORGANSLungs, skinHEALTH EFFECTS – EYEDust may cause irritation and possibly corneal damage.HEALTH EFFECTS – SKINMay dehydrate skin.HEALTH EFFECTS – INGESTIONIrritation of mouth, throat and digestive tract.HEALTH EFFECTS – INHALATIONProlonged or repeated very close exposure to fine crystalline silica dust may cause scarring of the<br/>lungs.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS NUMBER	WEIGHT %	TLV Mg/m3	LD50 ORAL RAT Mg/kg	LC50 INHAL RAT ppm
SILICA, CRYSTALLINE QUARTZ	14808-60-7	60 – 100	0.05*	NA	NA
MAGNESIUM OXIDE	1309-48-4	10 – 30	3.0*	NA	NA

## 4. FIRST AID MEASURES

FIRST AID – INHALATION	Remove from exposure and obtain medical attention.
FIRST AID – SKIN	Immediately flood the skin with large quantities of water. Obtain medical attention if blistering occurs or redness persists.
FIRST AID – EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
	soleness of redness persists.
FIRST AID – INGESTION	Rinse mouth out with water.

#### INFORMATION FOR DOCTOR

Most important symptoms and effects, both acute and delayed

No further relevant information available

Indications of any immediate medical attention and special treatment needed

No further relevant information available

# 5. FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.
EXTINGUISHING MEDIA	NA
SPECIAL HAZARDS OF PRODUCT	NA
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	NA
EXPLOSION DATA – SENSITIVITY TO IMPACT	NO
EXPLOSION DATA – SENSITIVITY TO STATIC DISCHARGE	NO

# 6. ACCIDENTAL RELEASE MEASURES SPILL PROCEDURES Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.

SPILL PROCEDURES	Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.
PERSONAL PRECAUTIONS	Avoid creation of dust. Wear NIOSH approved particle mask, gloves, and eye protection.
ENVIRONMENTAL PRECAUTIONS	Stable in environment. Not toxic to wildlife.

# **REFERENCE TO OTHER SECTIONS**

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment See Section 13 for disposal information

# 7. HANDLING AND STORAGE

HANDLING	Use in well-ventilated area. Use local exhaust ventilation. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Handle carefully to avoid creating dust.
STORAGE	Store in a dry area.

#### INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES

Keep ignition sources away – Do not smoke Protect against electrostatic charges

## SPECIFIC END USE(S)

No further relevant information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
ENGINEERING CONTROL MEASURES	Use in well-ventilated area. Avoid creation of dust. Up to 0.5 mg/m3 use air purifying respirator with high efficiency particulate filter. Up to 1.25 mg/m3 use powered air purifying respirator with high efficiency filter. Up to 2.5 mg/m3 use full-faced piece air purifying respirator with high efficiency particulate filter.	
RESPIRATORY PROTECTION	Wear NIOSH approved particle respirator.	
HAND PROTECTION	Gloves should be worn during all handling operations.	
EYE PROTECTION	Protect eyes from dust.	
BODY PROTECTION	Clothing should cover body adequately to prevent exposure.	
PROTECTION DURING APPLICATION	Will release ammonia gas when mixed with 1260 Part B. Venting or respiration equipment may be required when working in confined spaces. After installation and drying, activities such as grinding, sawing or tear-out of material may cause dust concentration to be above the TLV limit for crystalline quartz.	

9. PHYSICAL AND CHEMICAL PROPERTIES		
PHYSICAL STATE	Solid	
ODOUR & APPEARANCE	None, Grey-buff	
ODOR THRESHOLD (ppm)	NA	
SPECIFIC GRAVITY	2.65	
VAPOR DENSITY (AIR = 1)	NA	
VAPOR PRESSURE 20 C	10 mm @ 1730 C	
EVAPORATION RATE	None	
BOILING POINT (° C)	2230	
FREEZING POINT (° C)	NA	
рН	NA	
COEFFICIENT OF WATER/OIL DISTRIBUTION	NA	
SOLUBILITY IN WATER	Insoluble	
VOC (g/l)	0	
FLASH POINT (PMCC) (°C/F)	NA	
UPPER FLAMMABLE LIMIT %VOL	NA	
LOWER FLAMMABLE LIMIT %VOL	NA	
AUTOIGNITION TEMP (°C/F)	NA	

10. STABILITY AND REACTIVITY		
STABILITY	Contact with strong oxidizing agents.	
CONDITIONS TO AVOID	Oxidizing agents: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride	
MATERIALS TO AVOID	Strong oxidizing agents.	
HAZARDOUS POLYMERIZATION	Will not occur.	
HAZARDOUS DECOMPOSITION PRODUCTS	Silica will dissolve in hydrofluoric acid and produce a corrosive gas (silicon tetra fluoride)	

11. TOXICOLOGICAL INFORMATION	
EFFECTS OF ACUTE EXPOSURE	NA - No known acute toxicity.
EFFECTS OF CHRONIC EXPOSURE	Repeated inhalation of concentrated free silica dust may cause delayed lung injury (silicosis).
EXPOSURE LIMITS	0.05 mg/m3 Respirable quartz dust.
IRRITANCY	Mild irritation expected
SENSITIZATION	Unlikely.
CARCINOGENICITY	The International Agency for Research on Cancer has concluded that crystalline silica in the form of quartz from occupational exposures should be classified as carcinogenic to humans (Group 1) The American Conference of Government Industrial Hygienists has given crystalline silica, quartz an A2 classification, suspected human carcinogen. Simultaneous exposure to known carcinogens can increase carcinogenicity of crystalline silica.
REPRODUCTIVE TOXICITY	NA
TERATOGENICITY	NA
MUTAGENICITY	NA
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	Synergistic effect between smoking and crystalline silica is likely.

# 12. ECOLOGICAL INFORMATION

MOBILITY	Stable in environment.
PERSISTENCE/DEGRADABILITY	Non-biodegradable, generally non-toxic.
BIO-ACCUMULATION	Product does not bioaccumulate.
ECOTOXICITY	Not toxic to wild life.
RESULTS of PBT and vPvB Assessment	
PBT: N/A	
vPvB: N/A	

13. DISPOSAL CONSIDERATIONS	
PRODUCT DISPOSAL	Non-reactive. Transfer into non-dusting, sealed containers for recovery or disposal. Dispose of in an approved landfill site. Contact local authorities for disposal approval.
CONTAINER DISPOSAL	Dispose of bags according to federal, provincial, state and local regulations.

#### UNCLEANED PACKAGINGS:

**Recommendation:** Disposal must be made according to official regulations

#### 14. **TRANSPORTATION INFORMATION** TDG CLASSIFICATION CANADA NOT REQUIRED HAZARD LABEL NOT REGULATED **EXPORT** DOT CFR 172.101 DATA NOT REGULATED UN PROPER SHIPPING NAME NA UN CLASS NA **UN NUMBER** NA **UN PACKAGING GROUP** NA FLASH POINT NA HAZARDOUS MATERIAL NA HAZARD LABEL NA MARINE POLLUTANT NO SPECIFIC PRECAUTIONS FOR USER N/A

# **15. REGULATORY INFORMATION**

WHMIS (Canada) : Not controlled under WHMIS (Canada)

CEPA STATUS (DSL) : All of the ingredients of this product are listed on the Domestic Substances List. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

#### 16. **OTHER INFORMATION** HMIS hazard ID: NFPA hazard ID: 0 HEALTH 1 0-MINIMAL; 0-MINIMAL; 0 1-SLIGHT; 1-SLIGHT: FLAMMABILITY 0 2-MODERATE: 2-MODERATE: REACTIVITY 0 3-SERIOUS: 3-SERIOUS: PERSONAL PROTECTION **4-SEVERE** 4-SEVERE KEY No applicable information found or available NA: CAS#: Chemical Abstracts Service Number ACGIH: American Conference of Governmental Industrial Hygienists OSHA: Occupational Safety and Health Administration TLV: Threshold Limit Value Permissible Exposure Limit PEL: STEL: Short Term Exposure Limit National Toxicology Program NTP: International Agency for Research on Cancer IARC: R: Risk Safety S: Lethal Dose 50% LD50: Lethal Concentration 50% LC50: IMCO<sup>®</sup> Technologies Inc. PREPARED BY: SDS REVISION DATE May 23, 2024

Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.