

# SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

TRADE NAME	MG-KRETE REGULAR ODORLESS – PART A		
APPLICATION OF THE	A concrete repair material. Used for patching, from shallow feathering to deep pours, can be trowelled vertically and		
SUBSTANCE/PREPARATION	overhead.		
MANUFACTURE'S NAME	IMCO TECHNOLOGIES	TEL 1-888-818-4626	IMCO TECHNOLOGIES
	6254 SKYWAY RD., PO BOX 915	FAX 905-527-0606	3909 Witmer RD, Suite 1014
	SMITHVILLE, ON. LOR 2A0		NIAGARA FALLS, NY 14305
EMERGENCY NUMBER	613-996-6666 or *666 CANUTEC		
	1-800-535-5053 UNITED STATES POISON INFORMATION CENTRE		

# 2. HAZARDS IDENTIFICATION



GHS CLASSIFICATION: Flammability 5, Reactivity 5, Health 4

ROUTE OF ENTRY	Inhalation, Skin contact.
CARCINOGENIC STATUS	Respirable crystalline quartz is a suspected human carcinogen, ACGIH Group A2
TARGET ORGANS	Lungs, skin
HEALTH EFFECTS – EYE	Dust may cause irritation and possibly corneal damage.
HEALTH EFFECTS – SKIN	May dehydrate skin.
HEALTH EFFECTS – INGESTION	Irritation of mouth, throat and digestive tract.
HEALTH EFFECTS – INHALATION	Prolonged or repeated very close exposure to fine crystalline silica dust may cause scarring of the lungs.

# **3.COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS	WEIGHT %	CAS NUMBER	TLV Mg/m3	LD50 ORAL RAT Mg/kg	LC50 INHAL RAT ppm
SILICA, CRYSTALLINE QUARTZ	60 - 100	14808-60-7	0.05*	NA	NA
MAGNESIUM OXIDE	10 – 30	1309-48-4	3.0*	NA	NA
(Respirable Fraction)	(0.67%)		*		

# 4. FIRST AID MEASURES

FIRST AID – EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
FIRST AID – SKIN	Immediately flood the skin with large quantities of water, preferably under a shower. Obtain medical attention if blistering occurs or redness persists.
FIRST AID – INGESTION	Rinse mouth out with water.
FIRST AID – INHALATION	Remove from exposure. If there is difficulty in breathing, give oxygen. Obtain medical attention immediately.

#### INFORMATION FOR DOCTOR:

Most important symptoms and effects, both acute and delayed.

No further relevant information available/

Indication of any immediate medical attention and special treatment needed

No further relevant information available

FIRE FIGHTING MEASURES		
CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.	
EXTINGUISHING MEDIA	NA	
SPECIAL HAZARDS OF PRODUCT	NA	
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	NA	
FLASH POINT (PMCC) (°C/F)	NA	
UPPER FLAMMABLE LIMIT %VOL	NA	
LOWER FLAMMABLE LIMIT %VOL	NA	

AUTOIGNITION TEMP (°C/F)	NA
EXPLOSION DATA – SENSITIVITY TO IMPACT	No
EXPLOSION DATA – SENSITIVITY TO STATIC	Yes
DISCHARGE	

# 6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES	Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.
PERSONAL PRECAUTIONS	Avoid creation of dust. Wear NIOSH approved particle mask, gloves, and eye protection.
ENVIRONMENTAL PRECAUTIONS	Stable in environment. Not toxic to wild life.
REFERENCE TO OTHER SECTIONS	
Son Section 7 for information on safe handling	

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment

See Section 13 for disposal information

## 7. HANDLING AND STORAGE

HANDLING

Use in well-ventilated area. Use local exhaust ventilation. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Handle carefully to avoid creating dust.

# STORAGE Store in a dry area. INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES

Keep ignition sources away - Do NOT Smoke

Protect against electrostatic charges

#### SPECIFIC END USE(S)

No further relevant information available

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROL MEASURES	Use in well-ventilated area. Avoid creation of dust. Up to 0.5 mg/m3 use air purifying respirator with high efficiency particulate filter. Up to 1.25 mg/m3 use powered air purifying respirator with high efficiency filter. Up to 2.5 mg/m3 use full-faced piece air purifying respirator with high efficiency particulate filter.
RESPIRATORY PROTECTION	Wear NIOSH approved particle respirator.
HAND PROTECTION	Gloves should be worn during all handling operations.
EYE PROTECTION	Protect eyes from dust.
BODY PROTECTION	Clothing should cover body adequately to prevent exposure.
PROTECTION DURING	Will release ammonia gas when mixed with 1260 Part B. Venting or respiration equipment may be required when
APPLICATION	working in confined spaces. After installation and drying, activities such as grinding, sawing or tear-out of material may
	cause dust concentration to be above the TLV limit for crystalline quartz.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
ODOUR & APPEARANCE	Grey-buff
ODOR THRESHOLD (ppm)	NA
SPECIFIC GRAVITY	N/D
VAPOR DENSITY (AIR = 1)	NA
VAPOR PRESSURE 20 C	N/D
EVAPORATION RATE	None
BOILING POINT (° C)	N/D
FREEZING POINT (° C)	NA
Ph	NA
COEFFICIENT OF WATER/OIL DISTRIBUTION	NA
SOLUBILITY IN WATER	Insoluble
VOC (g/l)	0

### 10. STABILITY AND REACTIVITY

STABILITY	Contact with strong oxidizing agents.
CONDITIONS TO AVOID	Oxidizing agents: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride
MATERIALS TO AVOID	Strong oxidizing agents.
HAZARDOUS POLYMERIZATION	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS	Silica will dissolve in hydrofluoric acid and produce a corrosive gas (silicon tetra fluoride)

11. TOXICOLOGICAL INFORMATION		
EFFECTS OF ACUTE EXPOSURE	NA - No known acute toxicity.	
EFFECTS OF CHRONIC EXPOSURE	Repeated inhalation of concentrated free silica dust may cause delayed lung injury (silicosis).	
EXPOSURE LIMITS	0.05 mg/m3 Respirable quartz dust.	
IRRITANCY	Mild irritation expected	
SENSITIZATION	Unlikely.	
CARCINOGENICITY	The International Agency for Research on Cancer has concluded that crystalline silica in the form of quartz from occupational exposures should be classified as carcinogenic to humans (Group 1) The American Conference of Government Industrial Hygienists has given crystalline silica, quartz an A2 classification, suspected human carcinogen. Simultaneous exposure to known carcinogens can increase carcinogenicity of crystalline silica.	
REPRODUCTIVE TOXICITY	NA	
TERATOGENICITY	NA	
MUTAGENICITY	NA	
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	Synergistic effect between smoking and crystalline silica is likely.	

12. ECOLOGICAL INFORMATION	
MOBILITY	Stable in environment.
PERSISTENCE/DEGRADABILITY	Non-biodegradable, generally non-toxic.
BIO-ACCUMULATION	Product does not bioaccumulate.
ECOTOXICITY	Not toxic to wild life.

13. DISPOSAL CONSIDERATIONS	
PRODUCT DISPOSAL	Non-reactive. Transfer into non-dusting, sealed containers for recovery or disposal. Dispose of in an approved landfill site. Contact local authorities for disposal approval.
CONTAINER DISPOSAL	Dispose of bags according to federal, provincial, state and local regulations.

UNCLEANED PACKAGING:

Recommendation: Disposal must be made according to official regulations.

### 14. TRANSPORTATION INFORMATION

CANADA	TDG CLASSIFICATION
HAZARD LABEL NOT REQUIRED	NOT REGULATED
EXPORT	
DOT CFR 172.101 DATA	NOT REGULATED
UN PROPER SHIPPING NAME	NA
UN CLASS	NA
UN NUMBER	NA
UN PACKAGING GROUP	NA
FLASH POINT	NA
HAZARDOUS MATERIAL	NA
HAZARD LABEL	NA
MARINE POLLUTANT	NO
SPECIAL PRECAUTIONS FOR USER	N/A

## 15. REGULATORY INFORMATION

WHMIS CLASSIFICATION: CLASS D, DIV.2, SUBDIVISION A

CEPA STATUS (DSL): All of the ingredients of this product are listed on the Domestic Substances List. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

16. OTHER INFORM	ATION
HEALTH 5-MININ FLAMMABILITY 5 REACTIVITY 5 PERSONAL PROTECTION 1-SEVE	iT; RATE; DUS; 1-SLIGHT; 2-MODERATE; 3-SERIOUS;
KEY PREPARED BY:	NA:       No applicable information found or available         CAS#:       Chemical Abstracts Service Number         ACGIH:       American Conference of Governmental Industrial Hygienists         OSHA:       Occupational Safety and Health Administration         TLV:       Threshold Limit Value         PEL:       Permissible Exposure Limit         STEL:       Short Term Exposure Limit         NTP:       National Toxicology Program         IARC:       International Agency for Research on Cancer         R:       Risk         S:       Safety         LD50:       Lethal Dose 50%         LC50:       Lethal Concentration 50%         IMCO Technologies Inc.
REVISION DATE	November 28, 2022

Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.