

# **SAFETY DATA SHEET**

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

TRADE NAME	700US IM-KOTE 700 SER	IES Part C	D2A
APPLICATION OF THE	Part C aggregate for 724 NCF Floor -	polymer concrete overlay, 727 NCF L	iner – polymer concrete for vertical toweling,
SUBSTANCE/PREPARATION	tank lining, 740 NCF Grout – a chemic	al resistant, non-shrinking grout.	
MANUFACTURE/SUPPLIER	IMCO TECHNOLOGIES	TEL 1-888-818-4626	IMCO TECHNOLOGIES
	6254 SKYWAY RD., PO BOX 915	FAX 905-527-0606	3909 Witmer RD, Suite 1014
	SMITHVILLE, ON. LOR 2A0		NIAGARA FALLS, NY 14305
EMERGENCY NUMBER	613-996-6666 or *666 CANUTEC		
	1-800-535-5053 UNITED STATES PO	DISON INFORMATION CENTRE	

### 2. HAZARDS IDENTIFICATION



GHS CLASSIFICATION: Flammability 5, Reactivity 5, Health 4

ROUTE OF ENTRY	Inhalation, Skin contact.
CARCINOGENIC STATUS	Respirable crystalline quartz is a suspected human carcinogen, ACGIH Group A2
TARGET ORGANS	Lungs, skin
HEALTH EFFECTS – EYE	Dust may cause irritation and possibly corneal damage.
HEALTH EFFECTS – SKIN	May dehydrate skin.
HEALTH EFFECTS – INGESTION	Irritation of mouth, throat and digestive tract.
HEALTH EFFECTS -	Prolonged or repeated exposure to fine airborne crystalline silica dust may cause severe scarring of the lungs, a
INHALATION	disease called silicosis. Silicosis may occur in varying degrees from minimal to severe. In severe cases, significant
	and increasingly severe respiratory impairment develops.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS NUMBER	WEIGHT %	TWA ppm	LD50 ORAL RAT Mg/kg	LC50 INHAL RAT ppm
SILICA, CRYSTALLINE QUARTZ	14808-60-7	60-100	0.05	N/A	NA

# 4. FIRST AID MEASURES

FIRST AID - INHALATION	Remove from exposure. If there is difficulty in breathing, give oxygen. Obtain medical attention immediately.
FIRST AID – SKIN	Immediately flood the skin with large quantities of water, preferably under a shower. Obtain medical attention if blistering
	occurs or redness persists.
FIRST AID – EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if
	soreness or redness persists.
FIRST AID – INGESTION	Obtain medical attention immediately. Have victim drink 1 – 3 glasses of water to dilute stomach contents. DO NOT
	INDUCE VOMITING. Vomiting may cause aspiration into the lungs resulting in chemical pneumonia. If there is difficulty in
	breathing give oxygen.

#### **INFORMATION FOR THE DOCTOR:**

Most important symptoms and effects, both acute and delayed

No further relevant information available

Indications of any immediate medical attention and special treatment needed

No further relevant information available.

# 5. FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.
EXTINGUISHING MEDIA	NA NA
SPECIAL HAZARDS OF PRODUCT	NA NA
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	NA NA
EXPLOSION DATA - SENSITIVITY TO IMPACT	NO
EXPLOSION DATA – SENSITIVITY TO STATIC	YES
DISCHARGE	

# **ACCIDENTAL RELEASE MEASURES**

SPILL PROCEDURES	Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.
PERSONAL PRECAUTIONS	Avoid creation of dust. Wear NIOSH approved particle mask, gloves, and eye protection.
ENVIRONMENTAL PRECAUTIONS	Stable in environment. Not toxic to wildlife.

700C-US

#### Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment

See Section 13 for disposal information

## HANDLING AND STORAGE

HANDLING	Use in well-ventilated area. Use local exhaust ventilation. Avoid inhaling dust. Avoid contact with eyes, skin and	
	clothing. Handle carefully to avoid creating dust.	
STORAGE	Store in a dry area.	

#### Information about protection against explosions and fires:

Keep ignition sources away - Do Not Smoke

Protect against electrostatic charges

Specific end use(s): No further relevant information available

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

ENGINEERING CONTROL MEASURES	Use in well-ventilated area. Avoid creation of dust. Up to 0.5 mg/m³ use air purifying respirator with high efficiency particulate filter. Up to 1.25 mg/m³ use powered air purifying respirator with high efficiency filter. Up to 2.5 mg/m³ use
MEAGGREG	full-faced piece air purifying respirator with high efficiency particulate filter.
RESPIRATORY PROTECTION	Wear NIOSH approved particle respirator.
HAND PROTECTION	Gloves should be worn during all handling operations.
EYE PROTECTION	Protect eyes from dust.
BODY PROTECTION	Clothing should cover body adequately to prevent exposure.
PROTECTION DURING	Venting or respiration equipment may be required when working in confined spaces. After installation and drying,
APPLICATION	activities such as grinding, sawing or tear-out of material may cause dust concentration to be above the TLV limit for
	crystalline quartz.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
ODOUR & APPEARANCE	Neutral, /Grey, / Red
ODOR THRESHOLD (ppm)	NA
SPECIFIC GRAVITY	2.65
VAPOR DENSITY (AIR = 1)	NA
VAPOR PRESSURE 20 C	10 mm @ 1730° C
EVAPORATION RATE	None
BOILING POINT (°C)	2230° C
FREEZING POINT (°C)	NA
рН	NA
COEFFICIENT OF WATER/OIL DISTRIBUTION	NA
SOLUBILITY IN WATER	Insoluble
VOC (g/l)	0
FLASH POINT (PMCC) (°C/F)	93C / 199.4F
UPPER FLAMMABLE LIMIT %VOL	Not determined
LOWER FLAMMABLE LIMIT %VOL	Not determined
AUTOIGNITION TEMP (°C/F)	Not determined

# STABILITY AND REACTIVITY

STABILITY	Contact with strong oxidizing agents.
CONDITIONS TO AVOID	Oxidizing agents: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride
MATERIALS TO AVOID	Strong oxidizing agents.
HAZARDOUS POLYMERIZATION	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS	Silica will dissolve in hydrofluoric acid and produce a corrosive gas (silicon tetra fluoride)

EFFECTS OF ACUTE EXPOSURE	NA - No known acute toxicity.
EFFECTS OF CHRONIC EXPOSURE	Repeated inhalation of concentrated free silica dust may cause delayed lung injury (silicosis).
EXPOSURE LIMITS	0.05 mg/m³ Respirable quartz dust.
IRRITANCY	Mild irritation expected
SENSITIZATION	Unlikely.
CARCINOGENICITY	The International Agency for Research on Cancer has concluded that crystalline silica in the form of quartz from occupational exposures should be classified as carcinogenic to humans (Group 1) The American Conference of Government Industrial Hygienists has given crystalline silica, quartz an A2 classification, suspected human carcinogen. Simultaneous exposure to known carcinogens can increase carcinogenicity of crystalline silica.
REPRODUCTIVE TOXICITY	NA NA
TERATOGENICITY	NA
MUTAGENICITY	NA
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	Synergistic effect between smoking and crystalline silica is likely.

## 12. ECOLOGICAL INFORMATION

MOBILITY	Stable in environment.
PERSISTENCE/DEGRADABILITY	Non-biodegradable, generally non-toxic.
BIO-ACCUMULATION	Product does not bioaccumulate.
ECOTOXICITY	Not toxic to wildlife.
Posults of DRT and vPvR assessment	

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

## 13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL	Non-reactive. Transfer into non-dusting, sealed containers for recovery or disposal. Dispose of in
	an approved landfill site. Contact local authorities for disposal approval.
CONTAINER DISPOSAL	Dispose of bags according to federal, provincial, state and local regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations

## 14. TRANSPORTATION INFORMATION

CANADA	TDG CLASSIFICATION
HAZARD LABEL NOT REQUIRED	NOT REGULATED
Marine Pollutant	NO
Special Precautions for user	N/A


#### 15. REGULATORY INFORMATION

WHMIS: CLASS D, DIV.2, SUBDIVISION A-Very Toxic Material

CEPA STATUS (DSL): All of the ingredients of this product are listed on the Domestic Substances List.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

# 16. OTHER INFORMATION



Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.